













Heavy Duty Radiator	Generator Applications	KTHD 0001
		
<b>CORE SIZE</b>	<b>INCHES (APROX)</b>	<b>MILLIMETERS (APROX)</b>
CORE HIGHT	46	1170
CORE WIDTH	35	890
CORE THICKNESS		
Rows		5
<b>MAKE /MODEL/APPLICATION</b>		
Cummins NTA855G4		
OE Ref		
Heavy Duty Radiator	Generator Applications	KTHD 0002
		
<b>CORE SIZE</b>	<b>INCHES (APROX)</b>	<b>MILLIMETERS (APROX)</b>
CORE HIGHT	48.30	1225
CORE WIDTH	64	1625
CORE THICKNESS		
Rows		7
<b>MAKE /MODEL/APPLICATION</b>		
Caterpillar 3412		
OE Ref		



Heavy Duty Radiator	Generator Applications	KTHD 0003
		
<b>CORE SIZE</b>	<b>INCHES (APROX)</b>	<b>MILLIMETERS (APROX)</b>
CORE HIGHT	38	965.20
CORE WIDTH	36	914.40
CORE THICKNESS		
Rows		7
<b>MAKE /MODEL/APPLICATION</b>		
Caterpillar Genset 3406		
OE Ref		
Heavy Duty Radiator	Generator Applications	KTHD 0004
		
<b>CORE SIZE</b>	<b>INCHES (APROX)</b>	<b>MILLIMETERS (APROX)</b>
CORE HIGHT	45.25	1149.35
CORE WIDTH	48	1219.20
CORE THICKNESS		
Rows		6
<b>MAKE /MODEL/APPLICATION</b>		
Caterpillar Genset 3408		
OE Ref		



Heavy Duty Radiator	Generator Applications	KTHD 0005
		
<b>CORE SIZE</b>	<b>INCHES (APROX)</b>	<b>MILLIMETERS (APROX)</b>
<b>CORE HIGHT</b>	<b>34</b>	<b>863.60</b>
<b>CORE WIDTH</b>	<b>29</b>	<b>736.60</b>
<b>CORE THICKNESS</b>		
<b>Rows</b>		<b>6</b>
<b>MAKE /MODEL/APPLICATION</b>		
Caterpillar Genset 3306 B		
<b>OE Ref</b>		
Heavy Duty Radiator	Generator Applications	KTHD 0006
		
<b>CORE SIZE</b>	<b>INCHES (APROX)</b>	<b>MILLIMETERS (APROX)</b>
<b>CORE HIGHT</b>	<b>50</b>	<b>1270</b>
<b>CORE WIDTH</b>	<b>27</b>	<b>685.80</b>
<b>CORE THICKNESS</b>		
<b>Rows</b>		<b>3</b>
<b>MAKE /MODEL/APPLICATION</b>		
Caterpillar Genset C-18		
<b>OE Ref</b>		

Heavy Duty Radiator	Generator Applications	KTHD 0007
		
<b>CORE SIZE</b>	<b>INCHES (APROX)</b>	<b>MILLIMETERS (APROX)</b>
CORE HIGHT	63.15	1604
CORE WIDTH	34.50	876
CORE THICKNESS	4.40	112
Rows		
<b>MAKE /MODEL/APPLICATION</b>		
Caterpillar		
<b>OE Ref</b>		
Heavy Duty Radiator	Generator Applications	KTHD 0008
		
<b>CORE SIZE</b>	<b>INCHES (APROX)</b>	<b>MILLIMETERS (APROX)</b>
CORE HIGHT	31.89	810
CORE WIDTH	14.96	380
CORE THICKNESS	3.74	95
Rows		
<b>MAKE /MODEL/APPLICATION</b>		
Perkins Genset		
<b>OE Ref</b>		



Heavy Duty Radiator	Generator Applications	KTHD 0009
		
<b>CORE SIZE</b>	<b>INCHES (APROX)</b>	<b>MILLIMETERS (APROX)</b>
CORE HIGHT	39.37	1000
CORE WIDTH	25.20	640
CORE THICKNESS	2.24	57
Rows		
<b>MAKE /MODEL/APPLICATION</b>		
Perkins 3008D		
<b>OE Ref</b>	<b>ND MARSTON 20211500H</b>	
Heavy Duty Radiator	Generator Applications	KTHD 0010
		
<b>CORE SIZE</b>	<b>INCHES (APROX)</b>	<b>MILLIMETERS (APROX)</b>
CORE HIGHT	62	1574.80
CORE WIDTH	65	1651
CORE THICKNESS		
Rows	7	
<b>MAKE /MODEL/APPLICATION</b>		
Caterpillar Genset KTA50-G8		
<b>OE Ref</b>		



Heavy Duty Radiator	Generator Applications	KTHD 0011		
				
<b>CORE SIZE</b>	<b>INCHES (APROX)</b>	<b>MILLIMETERS (APROX)</b>		
<b>CORE HIGHT</b>	<b>24.10</b>	<b>612</b>		
<b>CORE WIDTH</b>	<b>22.99</b>	<b>584</b>		
<b>CORE THICKNESS</b>	<b>2.60</b>	<b>66</b>		
<b>Rows</b>	<b>5</b>			
<b>MAKE /MODEL/APPLICATION</b>				
Perkins Engine Application				
<b>OE Ref</b>				
<b>Perkins</b>		<b>TRUCK RADIATOR ASSEMBLY</b>	<b>KTHD 0012</b>	
		<b>CORE SIZE</b>	<b>INCHES (APPROX.)</b>   <b>MILLI METE</b>	
		<b>CORE HEIGHT</b>		
		<b>CORE WIDTH</b>		
		<b>CORE THICKNESS</b>		
		<b>ROWS</b>		
		<b>MAKE / MODEL / APPLICATION</b>		
<b>OEM</b>		<b>PERKINS GENERATOR P/A</b>		



<b>Perkins</b>	<b>TRUCK RADIATOR ASSEMBLY</b>	<b>KTHD 0013</b>	
	<b>CORE SIZE</b>	<b>INCHES (APPROX.)</b>	<b>MILLIMETERS (APPROX.)</b>
	<b>CORE HEIGHT</b>		<b>500</b>
	<b>CORE WIDTH</b>		<b>328</b>
	<b>CORE THICKNESS</b>		<b>33</b>
	<b>ROWS</b>		
	<b>MAKE / MODEL / APPLICATION</b>		
	<b>PERKINS GENERATOR</b>		
<b>OE NUMBER</b>	<b>MN422000-3431P</b>		
<b>Perkins</b>	<b>TRUCK RADIATOR ASSEMBLY</b>	<b>KTHD 0015</b>	
	<b>CORE SIZE</b>	<b>INCHES (APPROX.)</b>	<b>MILLIMETERS (APPROX.)</b>
	<b>CORE HEIGHT</b>		<b>490</b>
	<b>CORE WIDTH</b>		<b>438</b>
	<b>CORE THICKNESS</b>		<b>100</b>
	<b>ROWS</b>		
	<b>MAKE / MODEL / APPLICATION</b>		
	<b>PERKINS GENERATOR B/C P/A</b>		
<b>OE NUMBER</b>			



<b>Perkins</b>	<b>TRUCK RADIATOR ASSEMBLY</b>	<b>KTHD 0017</b>	
	<b>CORE SIZE</b>	<b>INCHES (APPROX.)</b>	<b>MILLIMETERS (APPROX.)</b>
	<b>CORE HEIGHT</b>		<b>382</b>
	<b>CORE WIDTH</b>		<b>435</b>
	<b>CORE THICKNESS</b>		
	<b>ROWS</b>	<b>3</b>	
	<b>MAKE / MODEL / APPLICATION</b>		
	<b>PERKINS GENERATOR B/C</b>		
<b>OE NUMBER</b>			
<b>Perkins</b>	<b>TRUCK RADIATOR ASSEMBLY</b>	<b>KTHD 0018</b>	
	<b>CORE SIZE</b>	<b>INCHES (APPROX.)</b>	<b>MILLIMETERS (APPROX.)</b>
	<b>CORE HEIGHT</b>		<b>700</b>
	<b>CORE WIDTH</b>		<b>558</b>
	<b>CORE THICKNESS</b>		<b>63</b>
	<b>ROWS</b>		
	<b>MAKE / MODEL / APPLICATION</b>		
	<b>PERKINS GENERATOR 97 P/A</b>		
<b>OE NUMBER</b>			



<p style="text-align: center;"><b>CAT</b></p>	<p style="text-align: center;"><b>TRUCK RADIATOR ASSEMBLY</b></p>		<p style="text-align: center;"><b>KTHD 0019</b></p>		
	<p style="text-align: center;"><b>CORE SIZE</b></p>	<p style="text-align: center;"><b>INCHES (APPROX.)</b></p>	<p style="text-align: center;"><b>MILLIMETERS (APPROX.)</b></p>		
	<p style="text-align: center;"><b>CORE HEIGHT</b></p>		<p style="text-align: center;"><b>702</b></p>		
	<p style="text-align: center;"><b>CORE WIDTH</b></p>		<p style="text-align: center;"><b>638</b></p>		
	<p style="text-align: center;"><b>CORE THICKNESS</b></p>		<p style="text-align: center;"><b>50</b></p>		
	<p style="text-align: center;"><b>ROWS</b></p>				
	<p style="text-align: center;"><b>MAKE / MODEL / APPLICATION</b></p>				
	<p style="text-align: center;"><b>CATERPILLAR B/C P/A</b></p>				
<p style="text-align: center;"><b>OE NUMBER</b></p>					
<p style="text-align: center;"><b>Perkins</b></p>	<p style="text-align: center;"><b>TRUCK RADIATOR ASSEMBLY</b></p>		<p style="text-align: center;"><b>KTHD 0020</b></p>		
	<p style="text-align: center;"><b>CORE SIZE</b></p>	<p style="text-align: center;"><b>INCHES (APPROX.)</b></p>	<p style="text-align: center;"><b>MILLIMETERS (APPROX.)</b></p>		
	<p style="text-align: center;"><b>CORE HEIGHT</b></p>		<p style="text-align: center;"><b>560</b></p>		
	<p style="text-align: center;"><b>CORE WIDTH</b></p>		<p style="text-align: center;"><b>558</b></p>		
	<p style="text-align: center;"><b>CORE THICKNESS</b></p>		<p style="text-align: center;"><b>50</b></p>		
	<p style="text-align: center;"><b>ROWS</b></p>				
	<p style="text-align: center;"><b>MAKE / MODEL / APPLICATION</b></p>				
	<p style="text-align: center;"><b>PERKINS GENERATOR 97 P/A</b></p>				
<p style="text-align: center;"><b>OE NUMBER</b></p>					

Perkins	TRUCK RADIATOR ASSEMBLY		KTHD 0021		
	CORE SIZE	INCHES (APPROX.)	MILLIMETERS (APPROX.)		
	CORE HEIGHT		500		
	CORE WIDTH		528		
	CORE THICKNESS		43		
	ROWS	3			
	MAKE / MODEL / APPLICATION				
	<p style="text-align: center;">PERKINS GENERATOR B/C P/A</p>				
OE NUMBER					
Perkins	TRUCK RADIATOR ASSEMBLY		KTHD 0022		
	CORE SIZE	INCHES (APPROX.)	MILLIMETERS (APPROX.)		
	CORE HEIGHT		568		
	CORE WIDTH		560		
	CORE THICKNESS				
	ROWS	3			
	MAKE / MODEL / APPLICATION				
	<p style="text-align: center;">PERKINS GENERATOR B/C</p>				
OE NUMBER					

Perkins	TRUCK RADIATOR ASSEMBLY		KTHD 0023	
	CORE SIZE	INCHES (APPROX.)	MILLIMETERS (APPROX.)	
	CORE HEIGHT		400	
	CORE WIDTH		445	
	CORE THICKNESS			
	ROWS	3		
	MAKE / MODEL / APPLICATION			
	PERKINS GENERATOR B/C			
OE NUMBER				
Perkins	TRUCK RADIATOR ASSEMBLY		KTHD 0024	
	CORE SIZE	INCHES (APPROX.)	MILLIMETERS (APPROX.)	
	CORE HEIGHT		615	
	CORE WIDTH		598	
	CORE THICKNESS			
	ROWS	3		
	MAKE / MODEL / APPLICATION			
	PERKINS GENERATOR B/C			
OE NUMBER				

Perkins	TRUCK RADIATOR ASSEMBLY		KTHD 0025		
	CORE SIZE	INCHES (APPROX.)	MILLIMETERS (APPROX.)		
	CORE HEIGHT		568		
	CORE WIDTH		560		
	CORE THICKNESS				
	ROWS		3		
	MAKE / MODEL / APPLICATION				
	PERKINS GENERATOR B/C				
OE NUMBER	T 4.436				
Perkins	TRUCK RADIATOR ASSEMBLY		KTHD 0026		
	CORE SIZE	INCHES (APPROX.)	MILLIMETERS (APPROX.)		
	CORE HEIGHT		523		
	CORE WIDTH		528		
	CORE THICKNESS		26		
	ROWS				
	MAKE / MODEL / APPLICATION				
PERKINS GENERATOR P/A					
OE NUMBER	MN422000-62411P				